




Preparing a Door Frame for Future Wired Hardware


Single Door - Two FrameFrog Kit

Model No: WPK1LS-001


EH2 - Electric Hinge



ES2 - Electric Strike



EPT2 - Electric Power Transfer



Conduit from FrameFrogs to the ceiling
 Conduit connecting FrameFrogs within frame

Recommended Frame Preparation

- Electric Hinge Prep at Center Hinge (3/4" Hole for wires)
- 4.875" x 1.25" DPS Prep in Head with flush cover plate
- Standard Strike Prep
- Omit metal back box (mortar and dust boxes) wherever FrameFrog is installed

Implications for this Layout

- Committed to Electric Hinge for powering the lock
- EPT and Electric Strike are not an option
- Adds cost of DPS prep only

Recommended Frame Preparation

- 4.875" x 1.25" DPS Prep in Head with flush cover plate
- Standard Strike Prep
- Omit metal back box (mortar and dust boxes) wherever FrameFrog is installed

Implications for this Layout

- Committed to an Electric Strike and no power to the lock
- Adds cost of DPS prep only

Recommended Frame Preparation

- 9" Long EPT Prep between hinges
- 4.875" x 1.25" DPS Prep in Head with flush cover plate
- Standard Strike Prep
- Omit metal back box (mortar and dust boxes) wherever FrameFrog is installed

Implications for this Layout

- Committed to EPT for powering the lock
- Electric Hinge and Electric Strike are not an option
- Adds cost of DPS and EPT prep

EH2

ES2












EPT2

Select the box to indicate the configuration to use for frames without electrified hardware



Single Door Kit Contents

Model No.
WPK1LS-001

FrameFrog Long WP4L 001	1	
FrameFrog Short WP4S 001	1	
1/2" PVC Conduit - 40" Long	2	
1/2" PVC Sweep elbows - 4" R	1	
Mounting tabs (FrameFrog Short)	2	
Z clip (FrameFrog Long)	1	
PVC connectors	1	
1/2" EMT connector	1	
3/4" EMT connector	1	
Threaded 1/2" PVC Connector	1	
QR code door labels	1	

Common Configurations

Consult Hardware Specialist For Other Configurations And Implications